



# CANNA COCO (or CoGr) RECIPE

## Drain to Waste

- Change reservoir every 7 days
- Keep pH between 5.8 - 6.1 for Hydro or Soiless media. For Soil Keep pH between 6.2-6.6. Keep Water Temp at 66-68 F.
- Add Sweet at 75-125 ppms for extra Sulfur, Manganese, and Magnesium
- Only add additives whenever you change out reservoir
- Add Nutrient up to Desired TDS level

### Reservoir Maintenance

- Add all Additives first (follow directions below)
  - Sweet-** (food for Microbes) 75-125ppms. (Esters increase oil/sugar/resin.)(*Extra S, Mg, Mn*)(*Essential!*)
  - Cannazym** - Digestive Enzyme Solution. Add 2-4tsp./Gal. (10-20mL/Gal.) After 2nd week of Veg til end.
  - Big Bud and Overdrive** - 2 tsp. per Gallon - use as directed from recipe sheet. Never both at same time.
  - Vermi-T** - Live Worm/Compost Tea w/30,000 Microbes! - 1 Gallon for 50 Gallon Reservoir.
  - Piranha** - 1.25 Grams per Gal. - Mycorrhizae and Trichoderma Fungi. Simply Amazing!
  - Roots Excelerator** - Blows Roots way out. Awesome product! - 1.1mL per Gallon.
  - Pre Bloom** - 1tsp./Gal. Use in weeks 2-3 of Veg. Gives thicker stalks, more branches, more bloom sites.
  - Ultra Bloom** - 1 tsp./Gal. Use in weeks 1-2 of Bloom. Increases initial flower set. Triggers bloom faster.
  - Phat Bloom** - 1tsp./Gal. See feed chart. Weeks 2-4 of Bloom. BIG GUN of Bloom. Puts on BioMass.
  - Ooze Bloom** - 2 tsp./Gal. Use in weeks 4-6 of Bloom. Develops more Mass and adds oil/sugar to fruit.
  - Final Bloom** - 1tsp./Gal. Use in weeks 6-7 of Bloom. Final Fruit/Flower Stacker. Adds Density. More oil.
  - (optional) **OG Grow** - Mix 1 tsp. / Gal. Wks 2-3 of Veg. It will really green up your plants!
  - Final Phase** - 2tsp. per Gallon. (10mL/Gallon) For Flushing!
- Now add your nutrient to the desired TDS (ppm). *If the concentration is ever too high - dilute with water.*
- Check and adjust pH. ALWAYS pH - even when not mentioned!
- Make sure to have air stones in reservoir. O2 is more important than Additives. More aeration is better.
- Make sure water temp is 66-68 deg. F. (More oxygen is available at cooler temperatures.)
- Note: There are a lot of additives. You don't need to use them all. They each have a specific purpose.
- Note: If you want more Organic Goodness in this recipe Bubble up a batch of **BioBloom** with some Vermi-T and Mollasses solution. The next day you can check ppms and add to the main reservoir. Inquire within!

### Other Maintenance

- A general recipe for Coco or CoGr. No other media is to be used!
- Make sure you have great drainage in trays/pots. No roots sitting in standing water!
- Additives should not equal more than 37% of your overall TDS (ppms.) Ex. 1200 ppms - Additives should not be more than 400ppms at the most. Additives are anything except Main nutrient 2 Part.
- Check for Nutrient burn. If you see leaf tips yellow/browning or burning on edges of leaves, lower your Overall TDS values. Do not let plants get necrotic spotting in the middle of leaves. If you see any serious burning - FLUSH reservoir and re-do nutrients at 200 ppm lower than before.
- Always look for signs of overwatering - Plants get heavy saggy look and feel to them. Adjust water timer.
- Any time you do a FLUSH check to see what your "Run-Off" pH and (ppms) come out at. A healthy medium will have the same pH & ppms as the water you are putting in. An example- during a FLUSH with RO water is a pH of 5.8 and 300-350ppms of Nutrient. We want it to match within .2pH. If after FLUSHING your ppms are still high-FLUSH more! If pH is off - lower or raise pH by the difference and FLUSH again. Ex. pH Going in is 5.8-Coming out is 6.5 - Flush at around 5.0. Test pH. Repeat as nec.

3560 STATE STREET  
SANTA BARBARA, CA 93105  
PHONE: 805.898.9922  
FAX: 805.898.0047

2405 MIRA MAR AVE.  
LONG BEACH, CA 90815  
PHONE: 562.627.5636  
FAX: 562.627.1618

496 W. MEATS ST.  
ORANGE, CA 92865  
PHONE: 714.974.4769  
FAX: 714.921.4769

11510 WHITTIER BLVD.  
WHITTIER, CA 90601  
PHONE: 562.699.4201  
FAX: 562.699.7598

© 2009 GCH, INC.  
www.gchydro.com  
info@gchydro.com  
TOLL FREE: 877.MY.HYDRO  
69 49376



## Seedlings or Cuttings:

Use **Canna Coco (or CoGr) A+B** (for main nutrient)

If starting from seed you will want to build your TDS up. You will start at 300-400 ppms after the seed cracks. To crack the seed soak in warm water between a damp paper-towel for a couple of days. Once cracked, move to **Ready Grow** cube. You will bring TDS up 200 or so ppms per week until at 1000-1200ppms for Bloom.

Note: **Piranha, Vermi-T, and Roots Excelerator** are all good. (After first roots developed.)

If Using **Rooted Cuttings**, you will want to start your clones at the same TDS that the parents were kept at. If you do not know what that level was, a safe place to start is 800 - 1000 ppms. You will be looking for new growth on the tops of the plant before we can safely put them into the vegetative stage.

Note: One of the major problems people have with cuttings is that they throw them under too intense of a light source. Clones are coming from an area with a low intensity of light and extremely humid conditions. Make sure your HID light is high at first and lower it 6" a day until desired height is reached. Also spray plants occasionally with **Alg-A-Mic** (during any stressful situation), and combine with a wetting agent like **Wet Betty**.

## Vegetative Stage:

Use **Canna Coco (or CoGr) A + B** Nutrient

If starting from seed - you will raise your ppms up to 1000-1200 ppms throughout this phase. You will want to start at 300-400 ppms. For the first 2 weeks you will coddle your plants and tend to their every desire. You will then raise the ppms 200 per week. Look to see if there is any damage at all to their leaves. If yes, lower the TDS! Steadily raise ppms every week until you get to 1000-1200 ppms. You should be able to follow the Bloom chart/map in this hand-out. You may have to start week 1 at 1100 instead of 1200. If this is the case, raise ppms 100 every week until you get to 1500 in week 5 (instead of week 4.)

If starting from **Rooted Clone** - You will want to keep your plants in the 1000 ppm - 1200 ppm range for this entire cycle. No Higher levels needed. Yes. *Pre-Soak media at 400ppms!* (Add Additives listed directly below.) Before adding Nutrient.

Add **Roots Excel, Vermi-T Piranha, Sweet**

Now add Nutrient to desired TDS (ppms).

You will want to maintain your **pH** at **5.8 - 6.1** for Hydro or Soilless. *For Soil Maintain ph at 6.2-6.6.*

*Here is an example of a 3 week vegetative schedule (starting from cuttings/clones of your favorite plant(s))*

### Week 1 - TDS 700 (Fresh Reservoir)

Connect Air Stones to Air Pump and submersesstones in Water. Make Sure they work.

Check Timer for Pump, and set appropraite on/off times; depending on system type and grow media used.

Make Sure Tray(s) / Pots Drain.

Start Your Reservoir by adding **Reverse Osmosis (RO) water**.

Next Add Additives. (**Roots Excel, Vermi-T, Piranha, Sweet**)

Now add **Canna Coco A+B** - bring TDS to 700 ppms.

Adjust pH to 5.8-6.1 (You will have to play with **pH** - between **5.8-6.1**. Dial it in over course of week 1.)

Check water temp after 1-2 days Make sure it is bewteen 66-68 deg. F. This is important to get right Now!

### Week 2 - TDS 850 (Same steps as Week 1 - New TDS - Make sure to add **Pre-Bloom** at 1tsp./Gal.)

Connect Air Stones to Air Pump and submersesstones in Water. Make Sure they work.

Check Timer for Pump, and set appropraite on/off times; depending on system type and grow media used.

Make Sure Tray(s) / Pots Drain.

Start Your Reservoir by adding **Reverse Osmosis (RO) water**.

Next Add Additives. (**Roots Excel, Vermi-T Piranha, Sweet** and **Pre-Bloom**) and optionally **OG-Grow**

Now add **Canna Coco A+B** and bring TDS up to 850 ppms.

Adjust **pH to 5.8-6.1** (keep pH at level you found to be right last week.)

Keep levels of pH and TDS correct. Make sure you have good drainage!

Make sure Reservoir temperature is between 66-68 deg. F.

3560 STATE STREET

SANTA BARBARA, CA 93105

PHONE: 805.898.9922

FAX: 805.898.0047

2405 MIRA MAR AVE.

LONG BEACH, CA 90815

PHONE: 562.627.5636

FAX: 562.627.1618

496 W. MEATS ST.

ORANGE, CA 92865

PHONE: 714.974.4769

FAX: 714.921.4769

11510 WHITTIER BLVD.

WHITTIER, CA 90601

PHONE: 562.699.4201

FAX: 562.699.7598

© 2009 GCH, INC.

www.gchydro.com

info@gchydro.com

TOLL FREE: 877.MY.HYDRO

69 49376



**FLUSH - Use RO Water & Nutrient at 300-350ppms - pH 6.0. Make sure water comes out clean. "From Dirty to Clean"**

**Week 3** - TDS 1000 (Start adding **Cannazym** at 1tsp./Gal. and continue using **Pre-Bloom** at 1tsp./Gal.)

Start Your Reservoir by adding **RO water** Check water temp - make sure it is between 66-68 deg. F.

Connect Air Stones to Air Pump and submerge Stones (Not Pump!) in Water, Making Sure Stones work.

Next Add Additives. (**Roots Excel, Vermi-T, Piranha, Sweet, Cannazym, Pre-Bloom**) & optionally **OG-Grow**

Now add **Canna Coco A+B** - bring TDS to 1000 ppms. Adjust daily - keep at 1100 ppms all week.

Adjust **pH** to **5.8-6.1** (You will have to play with pH - between 5.8-6.1. Dial it in over course of week.)

Make Sure Tray(s) / Pots Drain. Make sure you **CONNECT** Irrigation PUMP to timer and it is ON!

### Fruit/Flower Stage:

Use **Canna Coco (or CoGr) A+B** as main Nutrient. Start w/ **pH 5.8**

Add **Piranha** (1.25gram per Gal.,) **Ultra-Bloom** (1tsp. per Gal.,) **Big Bud** (2tsp./Gal) **OverDrive** (2tsp./Gal.,)

**Sweet** (75-125ppms) **Vermi-T** (1 Gal. per 50Gal. of Sol.,) **Cannazym**(10-20mL/Gal.) **Phat Bloom** (1  
tsp./Gal.) **Roots Excel** (1.1ml/Gal) **Ooze Bloom** (2tsp./Gal) **Final Bloom** (1tsp./Gal.) **BudCandy**(2-3tsp./Gal.)

Enter Week 1 of Bloom stage with a TDS of 1000 ppms. You will be raising your ppms 100 per week.

Week 1 TDS - 1000 ppms - **Cannazym** 2tsp./Gal., **Sweet** at 75 ppm, **UltraBloom** 1tsp./Gal.

Week 2 TDS - 1100 ppms - Start Adding **Phat Bloom** at 1tsp./Gal. Start **Big Bud** at 2tsp./Gal.

Week 3 TDS - 1200 ppms - Raise **Sweet** to 100 ppm, Stop **UltraBloom**.

Week 4 TDS - 1300 ppms - Add **pK-13-14** at 250 ppm, Raise **Sweet** to 110 ppm, Start **Ooze** at 2tsp./Gal.

Week 5 TDS - 1400 ppms - Raise **Sweet** to 125 ppm, Last week of **Big Bud**. last week of Stop **Phat Bloom**.

Week 6 TDS - 1400 ppms - **pH 5.7** Stop **Piranha**. Start using **Final Bloom** at 1tsp./Gal.

Stop **Big Bud**. Start using **OverDrive** at 2tsp./Gal. Start **Bud Candy** 1tsp./Gal.

Week 7 TDS - 900 ppms - **pH 5.6** Increase **Cannazym** to 4tsp./Gal. Stop Using **Ooze Bloom**.

Increase **Bud Candy** to 3tsp./Gal.

Week 8 TDS -0-300 ppms - **FLUSH** anywhere from 4-7 days to end of Harvest - Look below for instructions.

Note: You will be adding **Big-Bud, Sweet, UltraBloom, Phat Bloom, Ooze Bloom, and Final Bloom** for larger fruit / flowers throughout the Bloom phase. Increase the dosage of these additives throughout. For example, if the range of use of these additives is 1-2tsp. then start at 1tsp. and get to 2 tsp. by week 5 of Bloom. If you ever see signs of stress then reduce the strength of these additives immediately.

You will harvest anywhere from wks. 7-10 of Bloom. At that stage you will need to Flush. We suggest **Final Phase**. *Make sure you use 300-350ppms of Nutrient Also.* You can see that the general trend here is that you will be raising your TDS up from 1000 at week 1 all the way up to 1500 ppms by of the 6th week bloom. (Note that some plants need more than 8 weeks to create fruits/flowers - up to 10 weeks. Adjust accordingly.

**Note: If at any point you see rust colored spotting, leaf tip burn, discoloration around leaf edges, yellowing of newer leaves, etc. check pH, check roots, lower TDS by 200-300. If it gets worse, drain / Flush Reservoir.**

Working with Organics is a tricky endeavor. It can be very rewarding in the long run because your fruit/flowers will be more aromatic, have more flavor, and generally look very beautiful. That is why we are using this many additives in the reservoir. Each one is used for a specific duration, at a specific time to produce a specific effect. Pay close attention to your plants. And again --- If signs of nutrient burn are observed, lower TDS.

*Here is an example of an eight-week bloom schedule: (Again the pH listings are for **Coco or CoGr not Soil**.)*

**FLUSH - Use RO Water & Nutrient at 300-350ppms - pH 6.0. Make sure water comes out clean. "From Dirty to Clean"**

**Week 1** - TDS 1000 (**pH shifts to 5.8, Start Cannazym, Sweet, Roots Excel, Vermi-T, Piranha, and UltraBloom**)

Drain and Refill Reservoir using **RO water**. Check water temp after 1 day. Make sure it is between 66-68 deg. F.

Connect Air Stones to Air Pump and submerge Stones (Not Pump!) in Water, Making Sure Stones work.

Add Additives. (**Vermi-T, Sweet, Cannazym, Roots Excel, Piranha, and UltraBloom**.)

Now add **CannaCoco A + B** - bring TDS to 1000 ppms.

Adjust **pH** to **5.8** (Most Plants will now be at lower **pH like 5.8**) (But plants are specific, so experiment.)

Make sure Tray(s) are draining completely. Make sure you **CONNECT** Irrigation PUMP to timer and it is ON!

: 3560 STATE STREET

: SANTA BARBARA, CA 93105

: PHONE: 805.898.9922

: FAX: 805.898.0047

: 2405 MIRA MAR AVE.

: LONG BEACH, CA 90815

: PHONE: 562.627.5636

: FAX: 562.627.1618

: 496 W. MEATS ST.

: ORANGE, CA 92865

: PHONE: 714.974.4769

: FAX: 714.921.4769

: 11510 WHITTIER BLVD.

: WHITTIER, CA 90601

: PHONE: 562.699.4201

: FAX: 562.699.7598

: © 2009 GCH, INC.

: www.gchydro.com

: info@gchydro.com

: TOLL FREE: 877.MY.HYDRO

69 49376



**Week 2** - TDS 1100 (Start adding **PhatBloom** at 1tsp./Gal.)

Drain and Fill Reservoir w/ **RO water**.

Make sure Reservoir temperature is between 66-68 deg. F.

Add Additives. (**Sweet, Cannazym, Big-Bud, Roots Excel, Piranha, UltraBloom, and PhatBloom.**)

Now add **Canna Coco A+B** and bring TDS up to 1100.

Adjust pH to **5.8**.

Make sure you have good drainage!

**FLUSH - Use RO Water & Nutrient at 300-350ppms - pH 6.0. Make sure water comes out clean. "From Dirty to Clean"**

**Week 3** - TDS 1200 (Raise **Sweet** to 100 ppm, Stop **UltraBloom.**)

Drain and Refill Reservoir using **RO water**.

Check water temp after 1-2 days. Make sure it is 66-68 deg. F.

Connect Air Stones to Air Pump and submerge Stones (Not Pump!) in Water. Make Sure Stones work.

Add Additives. (**Vermi-T, Sweet, Big-Bud, Cannazym, Roots Excel, Piranha, and PhatBloom.**)

Now add **Canna Coco A+B**. Bringing TDS to 1200 ppms.

Adjust **pH to 5.8**.

Make Sure Roots are still healthy.

Make sure you CONNECT Irrigation PUMP to timer and it is ON! *Common mistake after draining reservoir.*

You should see good mychorirzae growth from Piranha. White fuzzy healthy roots.

A critical stage of development. Organics Alive should be in Full Bloom. Roots Excel keeping the roots healthy.

**Week 4** - TDS 1300 (Add **pK-13-14** at 250 ppm, Raise **Sweet** to 110 ppm, Start **Ooze** at 2tsp./Gal.)

Fill Reservoir w/**RO Water**. Make sure Reservoir temperature is 66-68 deg. F.

Add Additives. (**Sweet, Cannazym, Big-Bud, Roots Excel, Piranha, PhatBloom, and Ooze Bloom.**)

Now add **Canna Coco A+B** and bring TDS up to 1300 ppms.

Adjust pH to **5.8**.

Keep levels of pH and TDS correct.

Make sure you have good drainage! Roots can die easily from suffocation at this stage.

Make sure you CONNECT Irrigation PUMP to timer and it is ON! *Common mistake after draining reservoir.*

**FLUSH - Use RO Water & Nutrient at 300-350ppms - pH 6.0. Make sure water comes out clean. "From Dirty to Clean"**

**Week 5** - TDS 1400 (Raise **Sweet** to 125 ppm, Raise **pK-13-14** to 300ppm.) (Last week of **BigBud and Sweet.**)

Start Your Reservoir by adding **RO water**. Check water temp after 1-2 days. Make sure it is 66-68 deg. F.

Add Additives. (**Vermi-T, Sweet, Cannazym, BigBud, Roots Excel, Piranha, and Ooze Bloom.**)

Now add **Canna Coco A+B** - bring TDS to 1400 ppm.

Adjust **pH to 5.8**.

Make sure Irrigation PUMP is connected to timer and that it is ON! Make sure Tray(s) are draining completely.

Make Sure Roots are still healthy. Almost at the home stretch!

Make sure you still have good drainage.

And Pick up those damn leaves off of trays and media. (Bad for Roots).

**Week 6** - TDS 1400 - (**pH shifts to 5.7**, Stop **Piranha**. Stop **PhatBloom**. Start using **Final Bloom** at 1tsp./Gal.)

(Stop Using **BigBud**. Start using **OverDrive** at 2tsp./Gal. Start **Bud Candy** at 1tsp./Gal.)

Fill Reservoir w/ **RO water**. Make sure Reservoir temperature is between 66-68 deg. F.

No more **Piranha** Anymore.

Add Additives. (**Bud Candy, Cannazym, OverDrive, Roots Excel, Ooze Bloom, and Final Bloom.**)

Check Water temp - it should be 66-68 deg. F.

Now add **Canna Coco A+B** - bring TDS to 1400 ppm.

Adjust **pH to 5.7**. (This is down from last week where it was 5.8.)

Make sure Irrigation PUMP is connected to timer and that it is ON!

Make sure Tray(s) are draining completely.

: 3560 STATE STREET  
: SANTA BARBARA, CA 93105  
: PHONE: 805.898.9922  
: FAX: 805.898.0047

: 2405 MIRA MAR AVE.  
: LONG BEACH, CA 90815  
: PHONE: 562.627.5636  
: FAX: 562.627.1618

: 496 W. MEATS ST.  
: ORANGE, CA 92865  
: PHONE: 714.974.4769  
: FAX: 714.921.4769

: 11510 WHITTIER BLVD.  
: WHITTIER, CA 90601  
: PHONE: 562.699.4201  
: FAX: 562.699.7598

: © 2009 GCH, INC.  
: www.gchydro.com  
: info@gchydro.com  
: TOLL FREE: 877.MY.HYDRO  
: 69 49376



Look for signs of Nutrient Burn, Yellowing, Rust Color Spotting, Leaf tip burn. Only small amounts of this are acceptable at this stage. If you notice heavy damage, lower TDS 200 ppms, If damage continues, Flush and reduce TDS by 500ppms and lower strength of Additives - **Bud Candy, Ooze, Final Bloom, and OverDrive.**)

At this point fruit or flowers should be filling in rapidly and ripening is soon to begin.

Roots may be yellow or cream colored on mature plants. You should still have mycorrhizae white fuzz on your roots if you were using **Piranha**. Lower leaves can Yellow from a lack of Nitrogen. Pick them off the media and tray.

**FLUSH - Use RO Water & NO NUTRIENT - pH 6.0. Make sure water comes out clean. "From Dirty to Clean"**

**Week 7** - TDS 900 (pH 5.6 Increase **Cannazym** to 4tsp./Gal. Stop Using **Phat Bloom**. Stop **pK-13-14**. Increase **Bud Candy** to 3 tsp./Gal.)

Start Your Reservoir by adding **RO water**

Connect Air Stones to Air Pump and submerge Stones (Not Pump!) in Water, Make Sure Stones work.

Add Additives. (**Vermi-T, Bud Candy, OverDrive, Cannazym, Roots Excel, and Final Bloom**)

Now add **Canna Coco A+B** - bring TDS to 900 ppm.

Adjust **pH to 5.6**.

Make sure Tray(s) and Pot(s) are draining completely.

Make Sure Roots are still healthy. If not, it should not matter that much, but try and do better NEXT time.

Make sure Irrigation PUMP is still connected to timer and it is ON!

Check water temp after 1-2 days. Make sure it is between 66-68 deg. F.

**FLUSH - Use RO Water Final Phase & NO NUTRIENT - pH 6.0 Flush ALL week. Additives are good. . . Listed Below.**

**Week 8** - (**FLUSH!**) - Lower Res Temps to 50 deg. F. - NO NUTRIENTS!

Fill Reservoir w/ **RO water**. Make sure Reservoir temperature is as close to 50 deg. F.

Add Additives. (**Bud Candy, Final Phase, and Cannazym**)

Adjust **pH to 5.6**

**FLUSH --- either at the beginning of this week and ignore the above. Or after 3 days Flush for final 4 days. Read Flushing notes below.**

### Final Flushing:

To flush, drain reservoir 4-7 days from finish. Fill with fresh water. Add **Final Phase** at a rate of 2tsp. per Gallon. Add Additives as per dosage levels on chart. Run for 1-2 days. Drain Reservoir. Repeat process (add Final Phase) and run until fruit is ripe.

### General Notes:

If at any point you see evidence of disease (persistent major pH shift, foamy / slimy-ness in the reservoir, large scale root death.) You will need to clean and sterilize the reservoir and trays. Flush out the pots and trays with a copious amount of water. Bleach as much of the hydro system as possible (including tubing, pump, reservoir and trays.) Bleach will kill diseases, but is also toxic to plants, so be sure to rinse well before reusing. Refill reservoir and re-dose. Be prepared to Flush the system every other day until the problem is solved.

It is also a good idea to wash out your reservoir monthly. On any one of the bi-weekly drains you can take it out and bleach it down. Then rinse it well to remove the bleach residue. When clean restart as normal.

Again, look for any signs of stress. Anything at all. If you see any discoloration, or any damage to the roots. Call us! Or, come in and talk with us about it! *We can help.* We can help - If its not too late!

### Disclaimer


Individual results may vary. We are in no way responsible for your results. Environmental Conditions can change any end result. We are not responsible for other people's mistakes. This is a generalized recipe for tomatoes and cucumbers in particular. Use a TDS meter. Maintain pH. Maintain a Healthy Reservoir Temperature. Use RO water. Change Out Reservoir. Call us with problems. This recipe is intended for legal use only.

|                           |                        |                       |                        |                           |
|---------------------------|------------------------|-----------------------|------------------------|---------------------------|
| : 3560 STATE STREET       | : 2405 MIRA MAR AVE.   | : 496 W. MEATS ST.    | : 11510 WHITTIER BLVD. | : © 2009 GCH, INC.        |
| : SANTA BARBARA, CA 93105 | : LONG BEACH, CA 90815 | : ORANGE, CA 92865    | : WHITTIER, CA 90601   | : www.gchydro.com         |
| : PHONE: 805.898.9922     | : PHONE: 562.627.5636  | : PHONE: 714.974.4769 | : PHONE: 562.699.4201  | : info@gchydro.com        |
| : FAX: 805.898.0047       | : FAX: 562.627.1618    | : FAX: 714.921.4769   | : FAX: 562.699.7598    | : TOLL FREE: 877.MY.HYDRO |
|                           |                        |                       |                        | : 69 49376                |



## Overall Concentrations (TDS) - in ppms (w/a 700 Conversion Factor)

## Canna Coco (or CoGr) Recipe



|                  | week 1        | week 2           | week 3        | week 4           | week 5        | week 6           | week 7           | week 8             |
|------------------|---------------|------------------|---------------|------------------|---------------|------------------|------------------|--------------------|
| <b>week 1</b>    | <b>week 2</b> | <b>week 3</b>    | <b>week 4</b> | <b>week 5</b>    | <b>week 6</b> | <b>week 7</b>    | <b>week 8</b>    | <b>Final Phase</b> |
| Vermi - T        | Piranha       | Vermi - T        | Piranha       | Vermi - T        | Cannazym      | Vermi - T        |                  |                    |
| 1 Gal. / 50 Gal. | 1.25grm./Gal. | 1 Gal. / 50 Gal. | 1.25grm./Gal. | 1 Gal. / 50 Gal. | 2tsp. / Gal.  | 1 Gal. / 50 Gal. | 1 Gal. / 50 Gal. | 2tsp. / Gal.       |
| Piranha          | Cannazym      | Piranha          | Cannazym      | Piranha          | pk-13-14      | Cannazym         | Cannazym         | 3 Bud Candy        |
| 1.25grm./Gal.    | 2tsp. / Gal.  | 1.25grm./Gal.    | 2tsp. / Gal.  | 1.25grm./Gal.    | 300 ppm       | 4tsp. / Gal.     | 4tsp. / Gal.     | tsp./Gal.          |
| Cannazym         | Sweet         | Cannazym         | Sweet         | Cannazym         | Bud Candy     | Bud Candy        | Cannazym         | Cannazym           |
| 2tsp. / Gal.     | 75 ppm        | 2tsp. / Gal.     | 110 ppm.      | 2tsp. / Gal.     | 1 tsp./Gal.   | 3 tsp./Gal.      | 3 tsp./Gal.      | 4tsp. / Gal.       |
| Sweet            | Roots Excel   | Sweet            | Roots Excel   | Sweet            | Roots Excel   | Roots Excel      | Roots Excel      |                    |
| 75 ppm           | 1.1.mL/Gal    | 100 ppm          | 1.1.mL/Gal    | 125 ppm          | 1.1.mL/Gal    | 1.1.mL/Gal       | 1.1.mL/Gal       |                    |
| Roots Excel      | Ultra Bloom   | Roots Excel      | Phat Bloom    | Roots Excel      | Ooze Bloom    | Final Bloom      | Final Bloom      |                    |
| 1.1.mL/Gal       | 1tsp. / Gal.  | 1.1.mL/Gal       | 1tsp. / Gal.  | 1.1.mL/Gal       | 2tsp. / Gal.  | 1tsp. / Gal.     | 1tsp. / Gal.     |                    |
| Ultra Bloom      | Phat Bloom    | Phat Bloom       | Ooze Bloom    | Ooze Bloom       | Final Bloom   | OverDrive        | OverDrive        |                    |
| 1tsp. / Gal.     | 1tsp. / Gal.  | 1tsp. / Gal.     | 2tsp. / Gal.  | 2tsp. / Gal.     | 1tsp. / Gal   | 2tsp. / Gal.     | 2tsp. / Gal.     |                    |
|                  | BigBud        | BigBud           | BigBud        | BigBud           | OverDrive     |                  |                  |                    |
|                  | 2tsp. / Gal.  | 2tsp. / Gal.     | 2tsp. / Gal.  | 2tsp. / Gal.     | 2tsp. / Gal.  |                  |                  |                    |

5mL = 1teaspoon

15mL= 1 Tablespoon = 3 teaspoons



11510 WHITTIER BLVD. : © 2009 GCH, INC.  
 WHITTIER, CA 90601 : www.gchhydro.com  
 info@gchydro.com  
 TOLL FREE: 877-MY-HYDRO  
 69-49376

496 W. MEATS ST.  
 ORANGE, CA 92865  
 PHONE: 714.974.4769  
 FAX: 714.921.4769

2405 MIRA MAR AVE.  
 LONG BEACH, CA 90815  
 PHONE: 562.627.5636  
 FAX: 562.627.1618

3560 STATE STREET  
 SANTA BARBARA, CA 93105  
 PHONE: 805.898.9922  
 FAX: 805.898.0047